

LIPITROL



CLINICAL APPLICATIONS

- *Maintains Healthy Cholesterol Levels*
- *Provides Antioxidant Support to Protect Blood Vessels*
- *Helps Maintain Optimal Cardiometabolic Health*

CARDIOVASCULAR HEALTH

Lipitrol includes an array of nutrients which work synergistically to maintain healthy cholesterol levels. Sytrinol[®], one of Lipitrol's key ingredients, is a potent blend of polymethoxylated flavones (PMFs), a novel blend of citrus flavonoids, and tocotrienols from palm fruit extract, which help to support cholesterol metabolism and provide antioxidant benefits. Other key ingredients include 200 mg of chromium as a patented chromium-niacin complex, 450 mg of gugul (2.5% gugulsterones) and 135 mg of artichoke leaf extract.

Overview

Cholesterol is made soluble by bile acids, which help enhance the digestion and absorption of dietary fats, making bile one of the major routes for the elimination of dietary cholesterol from the body. Ingested as part of the diet or derived from synthesis in the liver, cholesterol, together with bile acids, is conjugated to an amino acid and actively secreted into the GI tract. Lipitrol increases the production of bile, working with the body to maintain optimal cardiometabolic health.

Sytrinol[®]†

Sytrinol[®] promotes healthy cholesterol metabolism by helping to control the degradation rate of the HMG-CoA reductase enzyme (required for cholesterol synthesis). Sytrinol's proprietary nutrient blend includes PMFs, unique citrus flavonoids (tangeretin, hesperidin and naringin), that inhibit the hepatic synthesis of cholesterol "building blocks," apolipoprotein B and triglycerides. PMFs also offer extra antioxidant support to protect blood vessels, which is essential for optimal cardiometabolic health. Sytrinol's effects have been shown in a variety of studies, including several human intervention trials. A

12-week, placebo-controlled clinical trial involving 120 men and women showed that compared to placebo, patients receiving Sytrinol[®] had significantly improved cardiovascular parameters. Those taking Sytrinol[®] had significantly improved markers of blood fats, and maintained healthy cholesterol levels.¹ Other studies using PMFs, including tangeretin and hesperetin, also found them to support healthy cholesterol levels.²⁻⁶ PMFs have also been shown in the literature to support healthy blood sugar metabolism.⁷

Gugul Resin[†]

Gugul, a resin produced by the stem of the Commiphora mukul tree, has active components called gugulsterones, which support liver cholesterol metabolism and improve cholesterol uptake from bile. Several small studies have shown gugulipids to support the maintenance of normal cholesterol levels and support blood fat balance in humans.⁸⁻¹⁰ Proposed mechanisms for gugul's lipid-lowering effect includes increasing LDL receptors on liver cells allowing more cholesterol to be pulled from the blood stream.¹¹

Artichoke Leaf Extract[†]

Artichoke leaf extract (ALE) is known as a choloretic, and has specific compounds that promote the liver's cholesterol reserves. Cynarin, a key constituent of ALE, also supports the production and release of bile, the main transport mechanism of dietary cholesterol from the body. ALE has been shown to reduce of HMG-CoA reductase enzyme, even when stimulated by insulin.¹² Several key studies have also shown cynarin to be useful in supporting healthy cholesterol levels.^{13,14} A randomized, double-blind, placebo-controlled study investigating the effects of eight weeks

† These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

of ALE supplementation or placebo found ALE to significantly modulate HMG-COA reductase.¹⁵

Chromium[†]

Research has shown chromium to be particularly beneficial for optimal carbohydrate and lipid metabolism. Lipitol uses a well-researched, niacin-bound chromium complex known as ChromeMate®. In a study examining the benefits of ChromeMate®, healthy cholesterol levels were better maintained among men who took this unique GTF-enhancing chromium.¹⁷

Guar Gum[†]

Soluble fibers, especially guar gum, have been shown to assist in maintaining healthy cholesterol levels by sequestering the cholesterol-laden bile, ensuring excretion out of the body.¹⁸

Directions

2 capsules per day or as recommended by your health care professional. For best results, consult your health care professional about using Fiber Plus with Lipitol.

Does Not Contain

Gluten, yeast, artificial colors and flavors.

Cautions

Do not consume this product if you are pregnant or nursing. Consult your physician for further information.

Supplement Facts ^{v3}		
Serving Size 2 Capsules		
Servings Per Container 30		
2 capsules contain	Amount Per Serving	% Daily Value
Chromium (as O-polynicotinate) [‡]	200 mcg	571%
Guggul (Standardized to contain 2.5% Guggulsterones)	450 mg	*
Proprietary Blend	270 mg	
Orange (<i>Citrus sinensis</i>) (Immature Whole Fruit and Peels)		*
African Oil Palm (<i>Elaeis guineensis</i>) (Fruit)		*
Guar Gum	225 mg	*
Artichoke Leaf Extract (Standardized to contain 5% Cynarin)	135 mg	*

* Daily Value not established

ID# 530060 60 Capsules

References

1. Roza JM, Xian-Liu Z, Guthrie N. Effect of citrus flavonoids and tocotrienols on serum cholesterol levels in hypercholesterolemic subjects. *Altern Ther Health Med.* Nov-Dec 2007;13(6):44-48.
2. Kurowska EM, Spence JD, Jordan J, et al. HDL-cholesterol-raising effect of orange juice in subjects with hypercholesterolemia. *Am J Clin Nutr.* Nov 2000;72(5):1095-1100.
3. Borradaile NM, Carroll KK, Kurowska EM. Regulation of HepG2 cell apolipoprotein B metabolism by the citrus flavanones hesperetin and naringenin. *Lipids.* Jun 1999;34(6):591-598.
4. Kurowska EM, Manthey JA. Hypolipidemic effects and absorption of citrus polymethoxylated flavones in hamsters with diet-induced hypercholesterolemia. *J.Agric. Food Chem.* 2004;52(10):2879-2886.
5. Kurowska EM, Manthey JA, Casaschi A, Theriault AG. Modulation of HepG2 cell net apolipoprotein B secretion by the citrus polymethoxyflavone, tangeretin. *Lipids.* Feb 2004;39(2):143-151.
6. Kurowska EM, Manthey JA. Regulation of lipoprotein metabolism in HepG2 cells by citrus flavonoids. *Adv.Exp. Med.Biol.* 2002;505:173-179.
7. Li RW, Theriault AG, Au K, Douglas TD, Casaschi A, Kurowska EM, Mukherjee R. Citrus polymethoxylated flavones improve lipid and glucose homeostasis and modulate adipocytokines in fructose-induced insulin resistant hamsters. *Life Sci.* 2006;79(4):365-73.
8. Nityanand S, Srivastava JS, Asthana OP. Clinical trials with guggulipid. A new hypolipidaemic agent. *J Assoc Physicians India.* May 1989;37(5):323-328.
9. Singh RB, Niaz MA, Ghosh S. Hypolipidemic and antioxidant effects of Commiphora mukul as an adjunct to dietary therapy in patients with hypercholesterolemia. *Cardiovasc Drugs Ther.* Aug 1994;8(4):659-664.
10. Anderson RA. Chromium metabolism and its role in disease processes in man. *Clin Physiol Biochem.* 1986;4(1):31-41.
11. Singh V, Kaul S, Chander R, Kapoor NK. Stimulation of low density lipoprotein receptor activity in liver membrane of guggulsterone treated rats. *Pharmacol Res.* Jan-Feb 1990;22(1):37-44.

[†] These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

12. Gebhardt R. Inhibition of cholesterol biosynthesis in primary cultured rat hepatocytes by artichoke (*Cynara scolymus* L.) extracts. *J Pharmacol Exp Ther.* Sep 1998;286(3):1122-1128.
13. Montini M, Levoni P, Ongaro A, Pagani G. [Controlled application of cynarin in the treatment of hyperlipemic syndrome. Observations in 60 cases]. *Arzneimittelforschung.* Aug 1975;25(8):1311-1314.
14. Wegener T, Fintelmann V. [Pharmacological properties and therapeutic profile of artichoke (*Cynara scolymus* L.)]. *Wien Med Wochenschr.* 1999;149(8-10):241-247.
15. Rondanelli M, Giacosa A, Opizzi A, et al. Beneficial effects of artichoke leaf extract supplementation on increasing HDL-cholesterol in subjects with primary mild hypercholesterolaemia: a double-blind, randomized, placebo-controlled trial. *Int J Food Sci Nutr.* February 2013;64(1):7-15.
16. Anderson RA. Chromium metabolism and its role in disease processes in man. *Clin Physiol Biochem.* 1986;4(1):31-41.
17. Roebuck JR, Jr., Hla KM, Chambless LE, Fletcher RH. Effects of chromium supplementation on serum high-density lipoprotein cholesterol levels in men taking beta-blockers. A randomized, controlled trial. *Ann Intern Med.* Dec 15 1991;115(12):917-924.
18. Superko HR, Haskell WL, Sawrey-Kubicek L, Farquhar JW. Effects of solid and liquid guar gum on plasma cholesterol and triglyceride concentrations in moderate hypercholesterolemia. *Am J Cardiol.* Jul 1 1988;62(1):51-55.